

19



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



11 Publication number:

**0 476 560 A1**

12

## EUROPEAN PATENT APPLICATION

21 Application number: 91115673.5

51 Int. Cl.<sup>5</sup>: C08G 73/06, C08G 73/22

22 Date of filing: 16.09.91

30 Priority: 21.09.90 US 588127

43 Date of publication of application:  
25.03.92 Bulletin 92/13

84 Designated Contracting States:  
BE DE FR GB IT NL

71 Applicant: THE DOW CHEMICAL COMPANY  
2030 Dow Center Abbott Road  
Midland, MI 48640(US)

72 Inventor: Lysenko, Zenon  
214 West Meadowbrook Drive  
Midland, Michigan 48640(US)  
Inventor: Harris, William J.  
5106 Grandview Court  
Midland, Michigan 48640(US)

74 Representative: Sternagel, Hans-Günther, Dr.  
et al  
Patentanwälte Dr. Michael Hann Dr. H.-G.  
Sternagel Sander Aue 30  
W-5060 Bergisch Gladbach 2(DE)

54 Polybenzazole polymers containing perfluorocyclobutane rings.


57 Polybenzazole polymers may contain perfluorocyclobutane rings to provide a flexible moiety which is stable at high temperatures.

EP 0 476 560 A1


This invention was made with Government support under contract F33615-86-C-5068 awarded by the Department of the Air Force. The Government has certain rights in this invention.

The invention relates to the art of polybenzazole polymers.

Polybenzazole (PBZ) polymers are well-known and described in numerous literature references, such as 11 Encyclopedia of Poly. Sci & Eng., Polybenzothiazoles and Polybenzoxazoles, 601 (1988). Mer units in polybenzazole polymers are ordinarily either AB-units, as illustrated in Formula 1(a) or AA/BB-mer units, as illustrated in Formula 1(b):



1(a) AB



1(b) AA/BB

wherein:

each Ar is an aromatic group,

DM is a divalent organic moiety which is stable and inert in acid under polymerization conditions, and

each Z is independently an oxygen atom, a sulfur atom, or a nitrogen atom that is bonded to a hydrogen atom or an organic moiety which is stable and inert in acid under polymerization conditions.

(For the purpose of this application, when the nitrogen atoms and Z moieties of a mer unit are depicted as bonded to an aromatic group without indicating their position, as in Formulae 1(a)-(b), it shall be understood that:

(1) each nitrogen atom and Z group within a given azole ring are bonded to the aromatic group in ortho position with respect to each other; and

(2) if the mer unit has two azole rings, one nitrogen atom and Z moiety may be in either *cis* position or *trans* position with respect to the other nitrogen atom and Z moiety, for example illustrated in 11 Ency. Poly. Sci. & Eng., *supra*, at 602. The same understandings apply with respect to amine groups and Z moieties in a BB-monomer.)

Polybenzazole polymers may be rigid rod or semi-rigid polymers which can sometimes form liquid crystalline dopes in solvent acids. Such polymers are noted for their high thermal stability and resistance to common organic solvents. However, the polymers are frequently difficult to fabricate into a useful article because they are not always thermoplastic, they are often insoluble in common organic solvent, and they are incompatible with many thermoplastic polymers.

Polybenzazole polymers have been modified by placing flexible moieties in the polymer backbone, in order to render the polymers thermoplastic or compatible with other polymers. However, many common flexible moieties which are put into polybenzazole polymers lower the thermal stability or solvent resistance of the polymer.

What are needed are polybenzazole polymers containing flexible moieties which have high thermal stability and/or solvent resistance.

The present invention is a polybenzazole polymer containing a plurality of repeating units that are represented by the Formula:



10

DM is a divalent organic moiety which is stable and inert in acid under polymerization conditions, and

characterized in that the divalent organic moiety (DM) in a plurality of repeating units contains a perfluorocyclobutane ring in the polymer backbone.

15

## 20

**AA-Monomer** - A monomer suitable for synthesizing polybenzazole polymers, comprising two electron-deficient carbon groups linked by a divalent organic moiety (DM) which does not interfere with the polymerization, fabrication or use of the resulting polymer. The electron-deficient carbon groups have the definition and preferred embodiments given herein. The divalent organic moiety is preferably alkyl or an aromatic group, as herein defined, is more preferably an aromatic group, and is most preferably a six-membered aromatic group. Examples of suitable AA-monomers and references to their synthesis are provided in U.S. Patent 4,533,693 at col. 25-32, Tables 4-6. Preferred examples of AA-monomers include terephthalic acid, isophthalic acid, bis-(4-benzoic) acid and oxy-bis-(4-benzoic acid) and acid halides thereof.

35

40

45

- It preferably comprises a hydroxy, thiol or primary amine moiety, more preferably comprises a hydroxy thiol moiety, and most preferably comprises a hydroxy moiety. Secondary amine groups comprise an aromatic or an aliphatic group and preferably an alkyl group. The secondary amine group preferably comprises no more than about 6 carbon atoms, more preferably no more than about 4 carbon atoms and most preferably no more than about 1 carbon atom.

55

heteroatom is preferably nitrogen.

Unless otherwise specified, each aromatic group may comprise a single aromatic ring, a fused ring system or an unfused ring system containing two or more aromatic moieties joined by bonds or by divalent moieties (X) which are inert with respect to PBZ polymerizing reagents under polymerization conditions.

Suitable divalent moieties comprise, for example, a carbonyl group, a sulfonyl group, an oxygen atom, a sulfur atom, an alkyl group and/or and or a perfluorinated alkyl group. Each aromatic group is preferably a single six-membered ring.


Each aromatic group may contain substituents which are stable in solvent acid and do not interfere with further reactions of the moiety which the aromatic group is part of. Examples of preferred substituents include halogens, alkoxy moieties, aryloxy moieties or alkyl groups. More preferred substituents are either an alkyl group having no more than about 6 carbon atoms or a halogen. Most preferably, each aromatic group contains only those substituents specifically called for hereinafter.

Azole ring - an oxazole, thiazole or imidazole ring. The carbon atom bonded to both the nitrogen atom and the oxygen, sulfur or second nitrogen atom is the 2-carbon, as depicted in Formula 2

15

20

2



25

wherein Z is -O-, -S- or -NR-; and R is hydrogen, an aromatic or an aliphatic group, preferably hydrogen or an alkyl group, and most preferably hydrogen. R preferably comprises no more than about 6 carbon atoms, more preferably no more than about 4 and most preferably no more than about 1. Each azole ring is independently preferably oxazole or thiazole and more preferably oxazole. In PBZ polymers, the 4- and 5-carbon of each azole ring is ordinarily fused with an aromatic group.

**BB-Monomer** - A monomer suitable for synthesizing polybenzazole polymers, comprising an aromatic group and two o-amino-basic moieties which are bonded to the aromatic group. The aromatic group and the o-amino-basic moieties have the definitions and preferred embodiments given herein. Examples of suitable BB-monomers and processes for synthesis are provided in U.S. Patent 4,533,693 at col. 19-24, Tables 1-3. Examples of preferred BB-monomers include 4,6-diaminoresorcinol, 2,5-diaminohydroquinone, bis-(3-amino-4-hydroxyphenyl)-sulfone and 1,4-dithio-2,5-diaminobenzene. BB-monomers are frequently stored as salts of hydrogen chloride or phosphoric acid, because the free base of the monomer is susceptible to air oxidation.

**Electron-deficient carbon group (Q)** - any group containing a carbon atom which can react in the solvent acid with an o-amino-basic moiety to form an azole ring, such as the groups listed in col. 24, lines 59-66 of the 4,533,693 patent. Preferred electron-deficient carbon groups are carboxylic acids, acid halides, metal carboxylate salts, cyano groups and trihalomethyl groups. Halogens in electron-deficient carbon groups are preferably chlorine, bromine or iodine and more preferably chlorine.

**Polybenzazole (PBZ) polymer** - A polymer from the group of polybenzoxazoles and polybenzobisoxazoles (PBO), polybenzothiazoles and polybenzobisthiazoles (PBT) and polybenzimidazoles or polybenzobisimidazoles (PBI). For the purposes of this application, the term "polybenzoxazole (PBO)" refers broadly to polymers in which each mer unit contains an oxazole ring bonded to an aromatic group, which need not necessarily be a benzene ring. The term "polybenzoxazole (PBO)" also refers broadly to poly-(phenylene-benzo-bis-oxazole)s and other polymers wherein each mer unit comprises a plurality of oxazole rings fused to an aromatic group. The same understandings shall apply to the terms polybenzothiazole (PBT) and polybenzimidazole (PBI).

**Solvent acid** - any non-oxidizing liquid acid capable of dissolving PBZ polymers, such as sulfuric acid, methanesulfonic acid, trifluoromethylsulfonic acid, polyphosphoric acid and mixtures thereof. It must be sufficiently non-oxidizing that it does not substantially oxidize AB- and BB-PBZ monomers which are dissolved therein. Solvent acids are preferably dehydrating acids, such as polyphosphoric acid or a mixture of methanesulfonic acid and phosphorus pentoxide. Preferred concentrations of P<sub>2</sub>O<sub>5</sub> in the methanesulfonic acid are described in U.S. Patents 4,847,350 and 4,722,678. Concentrations of P<sub>2</sub>O<sub>5</sub> in the poly-

phosphoric acids are described in U.S. Patents 4,533,693 and 4,722,678. When the solvent acid is polyphosphoric acid, it may contain as little as 77 percent  $P_2O_5$  or less at the commencement of the reaction. It preferably contains at least about 80 weight percent  $P_2O_5$  at the commencement of the reaction, more preferably at least about 85 weight percent and most preferably 87 weight percent and preferably has a  $P_2O_5$  content of at most about 90 percent, more preferably at most about 88 percent.


#### Monomers Useful In The Present Invention

Polymers of the present invention are synthesized by the reaction of AA- and BB-monomers, optionally with AB-monomers, as those monomers are previously described. At least some of the AA-monomers must contain perfluorocyclobutane rings.

AA-monomers containing perfluorocyclobutane rings preferably comprise:

- (1) a perfluorocyclobutane ring;
- (2) two oxygen or sulfur atoms bonded to different carbon atoms of the perfluorocyclobutane ring;
- (3) two aromatic groups, one bonded to each oxygen or sulfur atom; and
- (4) two electron-deficient carbon groups, one bonded each aromatic group.

The AA-monomers are preferably represented by the Formula:



wherein:

- each J is an oxygen or sulfur atom;
- each Ar is an aromatic group;
- each Q is an electron-deficient carbon group; and
- the capital F in within the cyclobutane ring indicates that the ring is perfluorinated.

Each oxygen or sulfur atom (J) is preferably an oxygen atom. The oxygen or sulfur atoms are preferably bonded to adjacent carbon atoms, i.e., in 1,2-position.

Each aromatic group (Ar) has the meaning and preferred embodiments previously defined. It is most preferably a phenylene moiety.




Each electron-deficient carbon group is preferably bonded to the aromatic group either meta or para to the oxygen or sulfur atom and more preferably para to the oxygen or sulfur atom. Examples of highly preferred AA-monomers include 1,2-bis-(oxy-4-benzoic acid)-perfluorocyclobutane; 1,2-bis-(oxy-3-benzoic acid)-perfluorocyclobutane and esters and acid halides thereof.

The monomers are synthesized by a three-step process from a lower ( $C_1$ - $C_6$ ) alkyl hydroxy-benzoate ester. Certain lower alkyl hydroxy-benzoate esters are commercially available, such as methyl 3-hydroxybenzoate and methyl 4-hydroxybenzoate. Others can be synthesized by known processes.

In the first step of monomer synthesis the hydroxy-benzoate ester reacts with 1,2-dibromotetrafluoroethane in an organic solvent in the presence of a strong base such as sodium hydroxide, such that a substituted phenoxy-(or phenylthio)-2-bromo-tetrafluoroethane is formed.

In the second step, the product of step 1 reacts with zinc to form a substituted phenoxy-(or phenylthio)-trifluoro-ethene moiety. The first two steps and their conditions are described in Chambers, Fluorine in Organic Chemistry 97-200 (J. Wiley & Sons 1973).

In the third step, two equivalents of the product of step 2 are heated under conditions such that the trifluoroethene moieties react to form a single equivalent of diester containing a perfluorocyclobutane moiety. The reaction is ordinarily carried out at about 180°C. The entire synthetic scheme is preferably represented by Formula 5



wherein each Ar\* is an activated aromatic group having a substituent as previously described.

The diester resulting from step 3 can be used as an AA-monomer, for instance, as described in U.S. Patent 4,608,427. Alternatively, the diester may be converted into other AA-monomers by known processes. For instance, the diester can be converted to the diacid by saponification, as described in Loudon, *supra*, at 1055-57. The diacid can be used as an AA-monomer or converted to the corresponding acid halide by reaction with thionyl chloride or phosphorus pentachloride, as described in Loudon, *supra*, at 1014.

#### Polymers of the Present Invention

The monomers previously described can be used to make polymers which contain benzazole moieties and perfluorocyclobutane moieties.


The polymers are synthesized in the ordinary manner for polybenzazole polymers, by the reaction of approximate equimolar amounts at least one AA-monomer, containing two electron-deficient carbon groups, and at least one BB-monomer, containing two o-amino-basic moieties. At least some of the AA-monomers must contain perfluorocyclobutane moieties as previously described.

Other suitable monomers are described in numerous references, such as U.S. Patent 4,533,693. Suitable BB-monomers may be, for example: 4,6-diaminoresorcinol; 2,5-diaminohydroquinone; 1,4-dithio-2,5-diaminobenzene; 1,2,4,5-tetraminobenzene, bis-(3-amino-4-hydroxyphenyl)-sulfone or an acid salt thereof. AA-monomers which do not contain perfluorocyclobutane moieties may be, for example: terephthalic acid, isophthalic acid, bis-(4-benzoic acid) sebacic acid, or an acid halide or ester thereof.


The reaction mixture may contain several variations which will be apparent to persons of ordinary skill in the art. All AA-monomer within the reaction mixture may contain perfluorocyclobutane moieties, or the reaction mixture may contain both AA-monomers with perfluorocyclobutane moieties and AA-monomers without perfluorocyclobutane moieties. The proportions of those AA-monomers may be varied to provide a greater or lesser degree of flexibility within the polymer chain. The reaction mixture may contain AB-monomers, as well as AA-and BB-monomers. The BB-monomers may be a single monomer or a mixture of different BB-monomers. The reaction mixture may also contain a small quantity of monofunctional reagents to limit the molecular weight of the polymer and cap the ends of the polymer as described in U.S. Patent 4,703,103. The stoichiometry of the AA- and BB-monomers may be offset to provide a polymer or oligomer which is capped by a particular end group and may subsequently be incorporated into block copolymers.

The monomers are polymerized in non-oxidizing, dehydrating solvent acid such as polyphosphoric acid under an inert atmosphere such as nitrogen or vacuum with mixing. The solvent acid may contain solvent additives, such as sulfolane, to facilitate the dissolution of monomers and/or maintain the resulting polymer in solution, so that higher molecular weight may be obtained. The temperature of the reaction is ordinarily 50°C to 100°C at the commencement of the reaction and is increased in a step-wise or ramped fashion during the reaction to a maximum of about 190°C to 220°C. Hydrogen chloride associated with BB-monomers, and sometimes the AA-monomers, is typically driven off at the beginning of the reaction.

The resulting AA/BB-PBZ polymer has a plurality of repeating units which contain a 1,2-perfluorocyclobutane moiety. The perfluorocyclobutane moiety is joined to the remainder of the polymer by either oxygen atoms or sulfur atoms, which are preferably bonded to the 1 and 2 carbon atoms of the perfluorocyclobutane ring. The divalent organic moiety (DM) in the repeating units that contain a perfluorocyclobutane moiety is preferably represented by the Formula:




wherein Ar is a divalent organic moiety and all other moieties have the meanings previously assigned. Mer units containing perfluorocyclobutane moieties are preferably represented by the formula:



wherein Ar and Ar<sup>1</sup> are di- and tetrafunctional aromatic groups; and all other moieties have the meanings previously assigned.


Ar and Ar<sup>1</sup> have the meanings and preferred embodiments previously described for aromatic groups. Each Ar is preferably a meta- or para-phenylene moiety and more preferably a para-phenylene moiety. Each Ar<sup>1</sup> is preferably represented by one of the Formulae:

(a)



or

(b)




wherein X is as previously described for aromatic groups. Each Ar<sup>1</sup> is most preferably a 1,2,4,5-phenylene moiety.


The mer units are more preferably represented by one of the Formulae

11

(a)




(b)



wherein Ar<sup>1</sup> is a tetravalent six-membered ring; X is a bond or a divalent moiety which does not interfere with the synthesis, fabrication or use of the polymer; and Z has the meaning previously given. X is preferably a bond, an oxygen atom, a sulfonyl group, a carbonyl group, an alkyl group or a perfluorinated alkyl group. X is more preferably a bond, an oxygen atom or a sulfonyl group. X is most preferably a sulfonyl group.



The mer units are most preferably represented by the formula:

12






The polymer may contain other mer units, both AA/BB- and AB-mer units, as those units are previously described. Divalent organic moieties (DM) in those mer units may be alkyl or perfluorinated alkyl, but they are preferably aromatic groups; more preferably phenylene, biphenylene or diphenylene ether groups and most preferably p-phenylene groups. Suitable mer units may be any described for polymers in U.S. Patent 4,533,693. Examples of preferred mer units which do not contain perfluorocyclobutane rings are represented by the following Formulae:

13







wherein each Z is an oxygen or a sulfur atom. The mer units represented by 12(a) and (b) are more preferred, and the mer unit represented by 12(a) is most preferred.

The polymer preferably contains at least 25 mer units, more preferably at least about 50 mer unit and most preferably about 100 mer unit. However, shorter segments, such as containing at least 5 or 10 mer units may be useful in block copolymers. Such block copolymers preferably contain rigid or non-rigid PBZ polymer blocks interspersed with blocks containing perfluorocyclobutane moieties. Polybenzazole polymers containing perfluorocyclobutane may also be made a part of random or block copolymers with polyamides, polyimides, polyquinoxalines, polyquinolines, poly(aromatic ethers) or copolymers thereof, as described in Harris et al., Copolymers Containing Polybenzoxazole, Polybenzothiazole and Polybenzimidazole Moieties, International Application No. PCT/US89/04464 (filed October 6, 1989), International Publication No. WO 90/03995 (published April 19, 1990) and in U.S. Patent Application Serial No. 407,973 (filed September 15, 1989).

Within the polymer, between 1 and 100 percent of the mer units may contain perfluorocyclobutane moieties. Preferably at least about 5 percent of the mer units contain perfluorocyclobutane moieties, more preferably at least about 10 percent do, more highly preferably at least about 25 percent do, and most preferably at least about 50 percent do.

Polymers containing perfluorocyclobutane moieties have several desirable properties. They are ordinarily thermoplastic and can be shaped at a temperature above their glass-transition temperatures. They also have good temperature stability. It is also theorized that the polymer structure is suitable for membranes having good gas permeability and selectivities. It is theorized that the perfluorocyclobutane group can lead to materials having low dielectric constants that are useful in electronics applications.

The polymers of the present invention are advantageously illustrated by the following illustrative Examples.

#### Illustrative Examples

The following examples are for illustrative purposes only, and should not be taken as limiting the scope of either the specification or the claims unless stated otherwise, all parts and percentages are by weight.

#### Example A - Synthesis of 1,2-bis-(4-oxybenzoic acid) perfluorocyclobutane, and ester and acid halide thereof

Step 1 - A mixture containing 76.1 g of methyl 4-hydroxybenzoate, 300 ml of anhydrous DMSO, 150 ml

of toluene and 61.72 g of potassium t-butoxide is heated while 175 ml of toluene and t-butanol are removed by distillation in the 110°C to 165°C temperature range. The mixture is allowed to cool to room temperature and 259 g of 1,2-dibromotetrafluoroethane is added dropwise. The mixture is maintained at 70°C overnight, and then poured into water and stirred. The product is extracted with 1 L of methylene chloride, dried over magnesium sulfate, and recovered by removing the solvent under reduced pressure. The recovered product is a light yellow oil containing 81 percent methyl 4-(2-bromotetrafluoroethoxy)-benzoate and 19 percent methyl 4-(tetrafluoroethoxy)-benzoate.

Step 2 - A 228 g quantity of the product of Step 1 is added dropwise to a stirred, refluxing mixture of containing 1 L of dry dioxane and 45 g of zinc dust under nitrogen. Heating is continued for 2 hours the mixture is cooled to room temperature and then filtered. The solution is diluted with 1 L of water and extracted with four 500 ml portions of water. The organic phase is dried with magnesium sulfate, and the solvent is removed under vacuum. A 103.7 g quantity of pale yellow oil is recovered which contains 77.2 percent methyl 4-(trifluorovinylloxy)benzoate.

Step 3 - A mixture of 100 g of product from Step 2 and 250 ml of 1,2,4-trichlorobenzene is heated to 200°C for four hours. The reaction is cooled to room temperature, and the solvent and unreacted material are removed by distillation at 100°C and 200°C at 0.2 mmHg vacuum. The resulting clear colorless oil solidified on standing and is recrystallized from hexane. The recovered product is a 45 g quantity of E,Z-1,2-bis-4-(oxy-4-methylbenzoate)perfluorocyclobutane.

A mixture containing 33 g of 2-bis-(oxy-4-methylbenzoate) perfluorocyclobutane, 225 g of methanol, 125 ml of water and 17.2 g of sodium hydroxide is refluxed for six hours. The reaction mixture is cooled and concentrated hydrochloric acid is added to neutralize the mixture. A 37 g quantity of 1,2-bis-(oxy-4-benzoic acid) perfluorocyclobutane is recovered.

A mixture of 30 g of 1,2-bis-(oxy-4-benzoic acid) perfluorocyclobutane, 250 ml of thionyl chloride, and 5 drops of dimethyl formamide is refluxed overnight, cooled and filtered. The thionyl chloride is removed under vacuum to yield a yellow oil which solidifies on standing. The solid is recrystallized from hexane, yielding 35 g of E,Z-1,2-bis-(oxy-4-benzoyl chloride) perfluorocyclobutane.

#### Example 1 - Polymer from diacid

A mixture of 0.63 g of 4,6-diaminoresorcinol dihydrochloride (DAR); 1.3 g of 1,2bis-(oxy-4-benzoic acid) perfluorocyclobutane (OBPFC) and 32.7 g of polyphosphoric acid (76.2 weight percent  $P_2O_5$ ) is agitated at 45°C for 16 hours under nitrogen atmosphere. The temperature is raised to 95°C and 15.6 g of  $P_2O_5$  is added. The mixture is heated at 95°C for 8 hours, 150°C for 16 hours and 190°C for 24 hours. The resulting polymer is precipitated in aqueous sodium hydroxide, washed with water and dried under vacuum at 100°C. The resulting polymer is represented by Formula 12.

Inherent viscosity of the polymer is measured in concentrated sulfuric acid at a concentration of 0.2 g/dL at 25.0°C in an Ubbelohde tube having a 1.13 mm internal diameter. The inherent viscosity is 0.54 dL/g.

#### Example 2 - Polymer from diesters

The procedure of Example 1 is repeated using 0.64 g of DAR, 1.39 g of the dimethyl ester of OBPFC, 34.2 g of polyphosphoric acid (76.8 weight percent  $P_2O_5$ ), and 14.6 g of  $P_2O_5$ . The polymer has an inherent viscosity of 0.15 dL/g.

#### Example 3 - Polymer via acid chloride

The procedure of Example 1 is repeated using 0.64 g of DAR, 1.42 g of the dichloride OBPFC, 33.4 g of polyphosphoric acid (76.2 weight percent  $P_2O_5$ ) and 15.4 g of  $P_2O_5$ . The polymer has an inherent viscosity of 0.93 dL/g.


#### Example 4 - Polymer with acid chloride and tetramethylene sulfone

The process of Example 1 is repeated using 0.64 g of DAR, 1.42 g of the dichloride of OBPFC, 30.6 g of polyphosphoric acid (76.7 weight percent  $P_2O_5$ ) and 13.2 g of  $P_2O_5$ , except that 4.9 g of tetramethylene sulfone is added along with the  $P_2O_5$  and the mixture is heated at 95°C for 24 hours, rather than for 8 hours. The resulting polymer has an inherent viscosity of 1.06 dL/g.

Example 5 - Polymer Containing Meta bonds

1,2-bis-(oxy-3-benzoic acid) perfluorocyclobutane is prepared by substituting methyl 3-hydroxybenzoate for methyl 4-hydroxybenzoate in the procedure of Example A. The process of Example 1 is repeated using 1 g of DAR, 2.05 g of 1,2-bis-(oxy-3-benzoic acid) perfluorocyclobutane, a 52.8 g of polyphosphoric acid (76.7 weight percent  $P_2O_5$ ) and 23.6 g of  $P_2O_5$ . The resulting polymer is represented by the Formula

14




The polymer has an inherent viscosity of 0.43 dL/g and a melting temperature, measured by differential scanning calorimetry, at about 395°C.

Example 6 - Sulfone-Containing Polymer

The process of Example 4 is repeated using 1.00 g of bis-(3-amino-4-hydroxyphenyl)sulfone in place of the DAR, 1.27 g of the dichloride of OBPF, 30.3 g of polyphosphoric acid (77.1 weight percent  $P_2O_5$ ), 20.2 g of  $P_2O_5$  and 5.6 g of tetramethylene sulfone. The resulting polymer has a structure represented by the Formula:


15



It has an inherent viscosity of 1.60 dL/g and a glass transition temperature at about 260°C as measured by DSC.


Example 7

The process of Example 5 is repeated using 1.00 g of bis-(3-amino-4-hydroxyphenyl)sulfone hydrochloride monohydrate, 1.27 g of 1,2-bis-(oxy-3-benzoylchloride) perfluorocyclobutane, 30.3 g of polyphosphoric acid (77.1 weight percent  $P_2O_5$ ), 20.2 g of  $P_2O_5$  and 5.6 g of tetramethylene sulfone. The polymer has an inherent viscosity of 0.39 dL/g and a glass transition temperature of about 192°C as measured by DSC. The polymer contains mer units represented by the Formula



## Claims

1. A polybenzazole polymer containing a plurality of repeating units that are represented by the Formula:




wherein:

Ar<sup>1</sup> is an aromatic group,

DM is a divalent organic moiety which is stable and inert in acid under polymerization conditions, and

each Z is independently -O-, -S-, -NR- wherein the Z moieties is positioned in either cis- or trans-orientation with respect to each other and R is H, an alkyl group or an aromatic group, characterized in that the divalent organic moiety (DM) in a plurality of repeating units contains a perfluorocyclobutane ring in the polymer backbone.

2. The polybenzazole polymer as claimed in Claim 1 wherein DM that contain perfluorocyclobutane moieties are represented by the following Formula:




wherein

each Ar independently represents a difunctional aromatic group containing no more than about 18 carbon atoms;

each J independently represents an oxygen atom or a sulfur atom; and  
the F in each cyclobutane moiety indicates that it is perfluorinated.

3. The polybenzazole polymer as claimed in any of the preceding claims wherein each Z is -O- or -S-.
4. The polybenzazole polymer as claimed in any of the preceding Claims wherein each Ar<sup>1</sup> is independently represented by any one of the Formulae:







wherein X is a bond, an oxygen atom, a sulfonyl group, a carbonyl group, an alkyl group or a perfluorinated alkyl group.

5. The polybenzazole polymer as claimed in any of the preceding Claims wherein each Ar is a meta-phenylene or para-phenylene moiety.
6. The polybenzazole polymer as claimed in any of Claims 1-5 that further contains repeating units in

which DM is a phenylene, biphenylene or diphenylene ether group.

7. The polybenzazole polymer as claimed in any one of Claims 1-5 wherein all of the repeating units contain a perfluorocyclobutane moiety.
8. The polybenzazole polymer as claimed in Claim 1 that contains a repeating unit as shown in any one of the Formulae:





European  
Patent Office

## EUROPEAN SEARCH REPORT

Application Number

EP 91 11 5673

### DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
A	EP-A-0 317 942 (HOECHST) * Claims 3,4 *		C 08 G 73/06 C 08 G 73/22
A	CHEMICAL ABSTRACTS, vol. 94, no. 10, 9th March 1981, page 2, abstract no. 66132s, Columbus, Ohio, US; V.V. KORSHAK et al.: "Reductive polyheterocyclization - a new general method for the synthesis of polybenzazoles", & IZV. AKAD. NAUK CRUZ. SSR, SER. KHIM. 1980, 6(2), 122-8		
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			C 08 G
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of search 09 December 91	Examiner LEROY ALAIN
<b>CATEGORY OF CITED DOCUMENTS</b> X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons &: member of the same patent family, corresponding document			